



# TranSport

## MOBILE BLEACHERS



## 2025 MOBILE BLEACHER MODELS

**TranSport Mobile  
Grandstand Bleachers  
offer more choices,  
more features, and  
more seating solutions.**

PATENT US 8,296,999 B2  
PATENT US 9,021,746 B1

Specifications  
Subject to Change Without Notice  
Prices F.O.B. Factory

**(812) 246-3371**

**www.centuryindustries.com**

**Century Industries**  
AN EMPLOYEE OWNED COMPANY

**Meet Spectator Seating Challenges - TranSport** mobile bleachers & mobile grandstands offer solutions for providing outdoor event seating. All **TranSport** models are equipped for towing on public roads, allowing utilization throughout your community. All models feature powered, one-person, push-button set up for fast, easy operation.

Mobile bleachers offer increased utilization, reduced maintenance and vandalism, and increased site security. Mobile bleachers allow shared use among other organizations within a community. Easily reconfigure spectator seating on multi-purpose sports fields. Provide supplemental seating for tournaments and stadiums. Solve seating challenges in flood plain areas and temporary sites.

Easily offer spectator seating for tracks, motor sports, air shows, equestrian events and meets, parades, educational/instructional demonstrations, and more.

### **TranSport Mobile Seating Offers:**

- **Seat Rows** – choice of 7, 8, 10, 12 or 15 seat rows
- **Row Spacing** – standard 24 inch center to center, 8 inch rise - comfortable spacing with consistent slope for code requirements
- **Footboards** - one-piece extra-width aluminum planks
- **Enclosed Risers** - aluminum enclosure panels
- **Center Aisle** - provides easier spectator access to seat rows
- **Guardrails** – smooth rounded aluminum pipe with vertical balustrades, automatically fold with bleacher
- **Hydraulic Actuation** - self-contained system providing fast, effortless, one-person, push-button operation
- **Mechanical Compartment** - enclosed compartment contains battery powered hydraulic system
- **Towing Coupler** - height adjustable pintle ring or ball with removable or retractable tongue. (optional folding gooseneck available)
- **Pivoting Leveling/Support Jacks** - multiple frame-mounted leveling support jacks permit bleacher use on soft surfaces, jacks pivot for maximum ground clearance, preventing damage during towing
- **IBC Code Requirements** - all models equipped to meet IBC code requirements. (Contact us for special pricing if not required)

## TSP15 - 15 Row Mobile Grandstands



Patent US 8296999B2

High-capacity 15-row mobile bleachers provide more spectator seats for each frontage foot and increased visibility to host larger outdoor events. Relocate even more seating in a single trip. Push-button hydraulic actuation allows fast setup.

| MODEL    | CAPACITY | ROWS |
|----------|----------|------|
| TSP15-39 | 352      | 15   |
| TSP15-45 | 412      | 15   |

## TSP12E - 12 Row Elevated Mobile Grandstands



Offer increased visibility and improved spectator sightlines with elevated 12-row mobile bleachers. Elevated seating allows spectators to watch events free of interference from obstructions or walking spectators.

Grandstand includes a built-on front mounted aluminum walkway with stairs and hand rail providing quick set up.

| MODEL     | CAPACITY | ROWS |
|-----------|----------|------|
| TSP12E-39 | 282      | 12   |
| TSP12E-45 | 330      | 12   |

## TSP10 - 10 Row Mobile Bleachers



Rugged, dependable 10 row mobile bleachers are a favorite among organizations and companies that provide event seating. Outdoor durability is achieved through the use of aluminum and galvanized steel construction. Rounded aluminum guardrails with vertical balustrades offer safety and comfort.

Standard models include extra-width footplanks, vertical enclosures, and aiseways, to comply with the most commonly adopted codes.

| MODEL    | CAPACITY | ROWS |
|----------|----------|------|
| TSP10-27 | 156      | 10   |
| TSP10-39 | 236      | 10   |
| TSP10-45 | 276      | 10   |

## TSP8 - 8 Row Mobile Bleachers



Reduced towing weight and increased maneuverability make these eight-row bleachers ideal for use on sports fields and other soft-surface applications. Aluminum seat and footboards offer a high degree of weather resistance, promoting year-round use. A retractable towing tongue reduces the overall length when set up.

| MODEL   | CAPACITY | ROWS |
|---------|----------|------|
| TSP8-27 | 125      | 8    |

## TSPVIP8 - VIP Mobile Grandstand



For events where spectator comfort is a priority, the TSPVIP series of mobile grandstands delivers. TSPVIP grandstands feature molded, individual seats with seat backs and spring-loaded seat bottoms that do not collect water. A unique folding mechanism allows all seat rows to remain permanently attached to the grandstand structure for fast, easy set up. Towing tongue retracts for spectator safety while also allowing end-to-end placement of multiple units.

| MODEL      | CAPACITY | ROWS |
|------------|----------|------|
| TSPVIP8-27 | 123      | 8    |
| TSPVIP8-45 | 219      | 8    |

## TSP7E - 7 Row Elevated Mobile Grandstands



Offer increased visibility and improved spectator sightlines with elevated 7-row mobile bleachers. Elevated seating allows spectators to watch events free of interference from obstructions or walking spectators.

Grandstand includes an elevated front mounted aluminum walkway with stairs and hand rails.

| MODEL    | CAPACITY | ROWS |
|----------|----------|------|
| TSP7E-27 | 110      | 7    |
| TSP7E-39 | 166      | 7    |
| TSP7E-45 | 194      | 7    |

## Weather Canopy Option



Provide increased spectator comfort and weather protection with a built on weather canopy that travels with the bleacher on public roads and highways, and sets up in minutes upon reaching the event site without the need for ladders, cranes, guy wires, footers, or site construction.

Canopy features an aluminum structure covered with a permanently attached vinyl roof that folds for transport and storage.

Canopy is available for installation on TSP10, TSP8, TSP8VIP and TSP7E model bleachers.

| MODEL     |
|-----------|
| Canopy-27 |
| Canopy-39 |
| Canopy-45 |

# MOBILE BLEACHER OPTIONS

## Accessories

|  |  |                      |                |
|--|--|----------------------|----------------|
| <b>ADA Provision</b>                   | First-row wheelchair cut-outs with companion seats allowing should-to-shoulder seating with able spectators.   |                      | <b>90910</b>   |
| <b>Elevated ADA Ramp</b>               | ADA access ramp. Models TSP7E and TSP12E. Wheelchair cutouts included.   |                      | <b>90967</b>   |
| <b>Wireless Remote Controller</b>      | Add convenience and safety with a wireless remote option that supplements the standard control pendant and cable, allowing the operator to move freely around the bleacher for an optimum view while bleacher is opening or closing. |                      | <b>90940</b>   |
| <b>SafetyGlo Aisle Step Markers</b>    | Solar powered SafetyGlo step and handrail markers provide extra night time safety by illuminating the aisle-way step tread edges.  |                      | <b>90931</b>   |
| <b>Solar Charger &amp; Conditioner</b> | Extend remote-site bleacher operation and battery life with an automatic 3-mode solar powered maintenance charger and desulphator-conditioner that extends the performance and life of the bleacher battery.                         |                      | <b>90963</b>   |
| <b>Storage Box</b>                     | Frame mounted storage locker box. Welded aluminum construction.  | TSP10<br>TSP12/TSP15 | 10243<br>10244 |
| <b>Numbered Seats</b>                  | Individual seat numbers  |                      | <b>90942</b>   |
| <b>TSP Windwall Canopy Panel</b>       | Vinyl Windwall Panel blocks wind and precipitation   |                      | <b>90980</b>   |
| <b>TSP Canopy Graphics</b>             | Graphics Package: Promote your community, organization, and sponsors with custom-designed graphics.  |                      | <b>90980G</b>  |
| <b>Reversed Opening</b>                | Curb-side (passenger side) bleacher opening exchange for standard road-side opening.   |                      | <b>70129</b>   |
| <b>Sponsor Hanging Mesh Banner</b>     | 34" Tall x length of bleacher, hangs from rear guardrail or under optional canopy.   |                      | <b>90198</b>   |
| <b>Banner Hardware</b>                 | Aluminum banner support pipes mount onto rear guardrail. Pipes secure top and bottom edges of optional sponsor hanging mesh banners.   |                      | <b>91145</b>   |

## Towing Options

|                                      |   |                              |                         |
|--------------------------------------|---|------------------------------|-------------------------|
| <b>Ball Coupler</b>                  | 2 - 5/16" ball coupler in exchange for the standard pintle coupler. Exchange  |                              | <b>88888</b>            |
| <b>Gooseneck</b>                     | Provides increased towing stability for bleacher operators frequently towing on highways. Hitch includes an adjustable-height fifth-wheel coupler. (King pin coupler available)<br>Includes landing gear jacks. | TSP12/TSP15                  | <b>70113</b>            |
| <b>Spare Tire with Mount Bracket</b> | Tire and rim with tire mounting bracket   | TSP8<br>TSP10<br>TSP12/TSP15 | 90559<br>90666<br>90665 |
| <b>Hydraulic Brakes</b>              | Hydraulic brakes with surge actuator coupler - exchange for standard  |                              | <b>90662</b>            |