



TranSport

MOBILE BLEACHERS



2024 MODEL LIST

REV - 01/2024

**TranSport Mobile
Grandstand Bleachers
offer more choices,
more features, and
more seating solutions.**

PATENT US 8,296,999 B2
PATENT US 9,021,746 B1

Prices and Specifications
Subject to Change Without Notice
Prices F.O.B. Factory

(812) 246-3371

www.centuryindustries.com

Century  Industries

Meet Spectator Seating Challenges - TranSport mobile bleachers & mobile grandstands offer solutions for providing outdoor event seating. All **TranSport** models are equipped for towing on public roads, allowing utilization throughout your community. All models feature powered, one-person, push-button set up for fast, easy operation.

Mobile bleachers offer increased utilization, reduced maintenance and vandalism, and increased site security. Mobile bleachers allow shared use among other organizations within a community. Easily reconfigure spectator seating on multi-purpose sports fields. Provide supplemental seating for tournaments and stadiums. Solve seating challenges in flood plain areas and temporary sites.

Easily offer spectator seating for tracks, motor sports, air shows, equestrian events and meets, parades, educational/instructional demonstrations, and more.

TranSport Mobile Seating Offers:

- **Seat Rows** – choice of 7, 8, 10, 12 or 15 seat rows
- **Row Spacing** – standard 24 inch center to center, 8 inch rise - comfortable spacing with consistent slope for code requirements
- **Footboards** - one-piece extra-width aluminum planks
- **Enclosed Risers** - aluminum enclosure panels
- **Center Aisle** - provides easier spectator access to seat rows
- **Guardrails** – steel or optional rounded aluminum with vertical balustrades, automatically fold with bleacher
- **Hydraulic Actuation** - self-contained system providing fast, effortless, one-person, push-button operation
- **Mechanical Compartment** - enclosed compartment contains hydraulic and battery systems
- **Towing Coupler** - standard pintle ring with removable tongue (optional ball and gooseneck couplers available)
- **Pivoting Leveling/Support Jacks** - multiple frame-mounted leveling support jacks permit bleacher use on soft surfaces, jacks pivot for maximum ground clearance, preventing damage during towing
- **IBC Code Requirements** - all models equipped to meet IBC code requirements. (Contact us for special pricing if not required)

TSP15 - 15 Row Mobile Grandstands



Patent US 8296999B2

High-capacity 15-row mobile bleachers provide more spectator seats for each frontage foot and increased visibility to host larger outdoor events. Relocate even more seating in a single trip. Push-button hydraulic actuation allows fast setup.

MODEL	CAPACITY	ROWS
TSP15-39	352	15
TSP15-45	412	15

TSP12E - 12 Row Elevated Mobile Grandstands



Offer increased visibility and improved spectator sightlines with elevated 12-row mobile bleachers. Elevated seating allows spectators to watch events free of interference from obstructions or walking spectators.

A front mounted aluminum walkway with stairs and hand rail is included.

MODEL	CAPACITY	ROWS
TSP12E-39	282	12
TSP12E-45	330	12

TSP10 - 10 Row Mobile Bleachers



Rugged, dependable 10 row mobile bleachers are a favorite among organizations and companies that provide event seating. Outdoor durability is achieved through the use of aluminum and galvanized steel construction. Rounded aluminum guardrails with vertical balustrades offer safety and comfort.

Standard models include extra-width footplanks, vertical enclosures, and aiseways, to comply with the most commonly adopted codes.

MODEL	CAPACITY	ROWS
TSP10CR-27	156	10
TSP10CR-39	236	10
TSP10CR-45	276	10



Shown with
Optional Features

Add a canopy to a 10 row bleacher for increased spectator comfort and weather protection. Canopy travels with the bleacher on public roads and highways, and sets up in minutes upon reaching the event site without the need for ladders, cranes, guy wires, footers, or site construction.

TSP8 - 8 Row Mobile Bleachers



Shown with
Optional Canopy

Reduced towing weight and increased maneuverability make these eight-row bleachers ideal for use on sports fields and other soft-surface applications. Multiple frame-mounted leveling-support jacks distribute seating loads over a wide area. Aluminum seat and footboards offer a high degree of weather resistance, promoting year-round use. A retractable towing tongue reduces the overall length when set up, while eliminating a tripping hazard.

Self contained electro/hydraulic actuation makes bleacher set up a fast, effortless one-person operation.

MODEL	CAPACITY	ROWS
TSP8-144	125	8

Offer additional spectator comfort of a protective weather canopy. Canopy travels on public roads and highways attached to the bleacher. Once on site, the canopy sets up in minutes without the need for ladders, cranes, or guy wires.

TSPVIP8 - VIP Mobile Grandstand



Shown with
Optional Canopy
& Windwall

For events where spectator comfort is a priority, the TSPVIP series of mobile grandstands delivers. TSPVIP grandstands feature molded, individual seats with seat backs and spring-loaded seat bottoms that do not collect water. A unique folding mechanism allows all seat rows to remain permanently attached to the grandstand structure for fast, easy set up. Towing tongue retracts for spectator safety while also allowing end-to-end placement of multiple units.

MODEL	CAPACITY	ROWS
TSPVIP8-27	123	8
TSPVIP8-45	219	8

Spectator comfort can be further enhanced by the addition of a protective weather canopy that folds and travels with the grandstand.

TSP7E - 7 Row Elevated Mobile Grandstands



Offer increased visibility and improved spectator sightlines with elevated 7-row mobile bleachers. Elevated seating allows spectators to watch events free of interference from obstructions or walking spectators.

A front mounted aluminum walkway with stairs and hand rail is included.

MODEL	CAPACITY	ROWS
TSP7E-27	110	7
TSP7E-39	166	7
TSP7E-45	194	7

MOBILE BLEACHER OPTIONS

Accessories

ADA Provision	First-row wheelchair cut-outs with companion seats allowing should-to-shoulder seating with able spectators.		90910
Elevated ADA Provision	ADA cut outs with companion seats allowing should-to-shoulder seating with able spectators and access ramp.		90967
Wireless Remote Controller	Add convenience and safety with a wireless remote option that supplements the standard control pendant and cable, allowing the operator to move freely around the bleacher for an optimum view while bleacher is opening or closing.		90940
SafetyGlo Step Markers	Solar powered SafetyGlo step and handrail markers provide extra night time safety by illuminating the aisle-way step tread edges.		90931
Solar Charger & Conditioner	Extend remote-site bleacher operation and battery life with an automatic 3-mode solar powered maintenance charger and desulphator-conditioner that extends the performance and life of the bleacher battery.		90939
Storage Box	Frame mounted storage locker box. Welded aluminum construction.		10239
Numbered Seats	Individual seat numbers		90942
VIP Cup Holders	Cup holder package for individual VIP seats	VIP45	90908
Windwall	Vinyl curtain blocks wind and precipitation		90980
Windwall Graphics	Windwall graphics package		90980G
Reversed Opening	Curb-side (passenger side) bleacher opening exchange for standard road-side opening.		70129

Jack Options

Jack Crank Drill Tool	For even faster bleacher set up, jack crank attachment fits a 1/2" drill chuck. (Battery powered drill not included)		90934
------------------------------	--	--	--------------

Grandstand Connector Kit

	Connector option joins multiple, connector figured bleachers to form a single, longer span, increased capacity Grandstand. Package includes foot planks, risers, and hand rails to create a connecting aisle-way providing increased seat access. Connector components are constructed of the same weather-resistant aluminum and galvanized steel materials utilized in the primary bleacher construction.		91141
--	---	--	--------------

Towing Options

Ball Coupler	2 - 5/16" or 2" (50 mm) ball coupler in exchange for the standard pintle coupler. Exchange		88888
Gooseneck	Provides increased towing stability for bleacher operators frequently towing on highways. Hitch includes an adjustable-height fifth-wheel coupler. (King pin coupler available)		70104
Spare Tire With Mount	Tire and rim with tire mounting bracket	TSP10 TSP12/TSP15	TIR1506 TIR1511
Hydraulic Brakes	Hydraulic brakes with surge actuator coupler - exchange for standard		90662